



# **BREAST CENTRES NETWORK**

Synergy among Breast Units

# Azienda Ospedaliero-Universitaria di Bologna Policlinico S.Orsola-Malpighi - Bologna, Italy

#### **General Information**



New breast cancer cases treated per year 323

Breast multidisciplinarity team members

18

Radiologists, surgeons, pathologists, medical oncologists, radiotherapists and nurses

Clinical Director: Mario Taffurelli, MD

The Breast Unit was established in 2004 due to a more-than-20-year-long multidisciplinary approach to breast cancer diagnosis and treatment. The multidisciplinary team, made up of oncologists, radiologists, radiation oncologists, pathologists and surgeons, meets twice a week for patient's evaluation and the definition of diagnostic and therapeutic strategies. On average, 600 cases are evaluated, and 400 are treated for breast carcinoma every year. The Breast Unit provides care of all stages of breast cancer, including conservative and demolitive surgery with reconstruction and oncoplastic surgery, partial and whole breast irradiation, pre-operative and adjuvant systemic therapy, treatment of locally advanced and metastatic breast cancer, psychological and rehabilitative support. The diagnostic phase takes about a week, and the waiting time from diagnosis to treatment is about 2-3 weeks. A case-manager nurse is dedicated to planning the multidisciplinary team meetings and provides the organization of the different steps of pre-operative and post-surgical phases.

# Azienda Ospedaliero-Universitaria di Bologna Policlinico S.Orsola-Malpighi

Via Massarenti 9 40138 Bologna,

Phone: +390516363929 Fax: +39051301834

E-mail: mario.taffurelli@aosp.bo.it

Web-site: www.aosp.bo.it

1/8

# CERTIFICATION(S) ACCREDITATION(S)

# **BCCERT - Breast Centres Certification**

Expiration date: 14 February 2023



Certification document (eng lang.)

#### Available services

- ✓ Radiology
- ✓ Breast Surgery
- ☑ Reconstructive/Plastic Surgery
- ✓ Pathology
- Medical Oncology
- ✓ Radiotherapy

- ✓ Nuclear Medicine
- Rehabilitation
- ✓ Genetic Counselling
- ✓ Data Management
- ✓ Psycho-oncology
- ✓ Breast Nurses

- ✓ Social Workers
- ✓ Nutritional Counselling
- ✓ Survivorship Groups
- Sexual Health Counselling
- ✓ Supportive and Palliative Care
- ✓ Integrative Medicine

### Radiology

- ✓ Dedicated Radiologists
   ✓ Mammograms per year
   ✓ Breast
   radiographers
   ✓ Screening program
   ✓ Verification for
   non-palpable breast lesions
   on specimen
   ✓ Axillary US/US-guided
   FNAB
- Available imaging equipment

  Mammography
  Ultrasound
  Magnetic Resonance Imaging (MRI)

  Available work-up imaging equipment

  Computer Tomography
  Ultrasound
  Magnetic Resonance Imaging (MRI)
  PET/CT scan

  Primary technique for localizing non-palpable lesions

  Hook-wire (or needle localization)
  Charcoal marking/tattooing

ROLL: radio-guided occult lesion

localization

Available breast tissue sampling equipment

Stereotactic Biopsy (Mammography guided)
Core Biopsy (Tru-cut)
Vacuum assisted biopsy

Iltrasound-guided biopsy
Fine-needle aspiration biopsy (FNAB, cytology)
Core Biopsy
Vacuum assisted biopsy
MRI-guided biopsy
Core Biopsy
Core Biopsy
Core Biopsy
Vacuum assisted biopsy

#### **Breast Surgery**

✓ Clinical Research

- ✓ New operated cases per year (benign and malignant)
   560

   ✓ Dedicated Breast Surgeons
   4

   ✓ Surgeons with more than 50 surgeries per year
   3

   ✓ Breast Surgery beds
   8

   ✓ Breast Nurse specialists
   2

   ✓ Outpatient surgery

   ✓ Intra-operative evaluation of sentinel node

   ✓ Reconstruction performed by Breast Surgeons

   ✓ Clinical Research
- Primary technique for staging the axilla

  Axillary lymph node dissection

  Sentinel lymph node biopsy:

  Blue dye technique

  Radio-tracer technique

  Blue dye + Radio-tracer


  Axillary sampling

Type of breast reconstructive surgery available  Remodelling after breast-conserving surgery Reconstruction after mastectomy: Two-stage reconstruction (tissue expander followed by implant) One-stage reconstruction Autogenous tissue flap Latissimus dorsi flap Transverse rectus abdominis (TRAM) Free-flaps (free TRAM, DIEP, SIEA, gluteal, etc.)  Surgery on the contralateral breast for symmetry  Other special studies available Fluorescence in-situ Hybridization for HER-2 gene (FISH Oncotype Dx (21-gene assay) MammaPrint (70-gene microarray) Prediction Analysis of Microarray 50-gene set (PAM 50)
Reconstruction after mastectomy:  Two-stage reconstruction (tissue expander followed by implant)  One-stage reconstruction  Autogenous tissue flap  Latissimus dorsi flap  Transverse rectus abdominis (TRAM)  Free-flaps (free TRAM, DIEP, SIEA, gluteal, etc.)  Surgery on the contralateral breast for symmetry  Other special studies available  Fluorescence in-situ Hybridization for HER-2 gene (FISH Oncotype Dx (21-gene assay)  MammaPrint (70-gene microarray)
<ul> <li>✓ Two-stage reconstruction (tissue expander followed by implant)</li> <li>✓ One-stage reconstruction</li> <li>✓ Autogenous tissue flap</li> <li>✓ Latissimus dorsi flap</li> <li>☐ Transverse rectus abdominis (TRAM)</li> <li>✓ Free-flaps (free TRAM, DIEP, SIEA, gluteal, etc.)</li> <li>✓ Surgery on the contralateral breast for symmetry</li> <li>Other special studies available</li> <li>✓ Fluorescence in-situ Hybridization for HER-2 gene (FISH</li> <li>✓ Oncotype Dx (21-gene assay)</li> <li>☐ MammaPrint (70-gene microarray)</li> </ul>
Autogenous tissue flap Latissimus dorsi flap Transverse rectus abdominis (TRAM) Free-flaps (free TRAM, DIEP, SIEA, gluteal, etc.)  Surgery on the contralateral breast for symmetry  Other special studies available Fluorescence in-situ Hybridization for HER-2 gene (FISH Oncotype Dx (21-gene assay) MammaPrint (70-gene microarray)
<ul> <li>✓ Latissimus dorsi flap</li> <li>☐ Transverse rectus abdominis (TRAM)</li> <li>✓ Free-flaps (free TRAM, DIEP, SIEA, gluteal, etc.)</li> <li>✓ Surgery on the contralateral breast for symmetry</li> <li>Other special studies available</li> <li>✓ Fluorescence in-situ Hybridization for HER-2 gene (FISH</li> <li>✓ Oncotype Dx (21-gene assay)</li> <li>☐ MammaPrint (70-gene microarray)</li> </ul>
<ul> <li>□ Transverse rectus abdominis (TRAM)</li> <li>☑ Free-flaps (free TRAM, DIEP, SIEA, gluteal, etc.)</li> <li>☑ Surgery on the contralateral breast for symmetry</li> <li>Other special studies available</li> <li>☑ Fluorescence in-situ Hybridization for HER-2 gene (FISH ☑ Oncotype Dx (21-gene assay)</li> <li>□ MammaPrint (70-gene microarray)</li> </ul>
Free-flaps (free TRAM, DIEP, SIEA, gluteal, etc.)  Surgery on the contralateral breast for symmetry  Other special studies available  Fluorescence in-situ Hybridization for HER-2 gene (FISH Oncotype Dx (21-gene assay)  MammaPrint (70-gene microarray)
✓ Surgery on the contralateral breast for symmetry  Other special studies available  ✓ Fluorescence in-situ Hybridization for HER-2 gene (FISH ✓ Oncotype Dx (21-gene assay)  MammaPrint (70-gene microarray)
Other special studies available  Fluorescence in-situ Hybridization for HER-2 gene (FISH Oncotype Dx (21-gene assay)  MammaPrint (70-gene microarray)
✓ Fluorescence in-situ Hybridization for HER-2 gene (FISH ✓ Oncotype Dx (21-gene assay)  ☐ MammaPrint (70-gene microarray)
✓ Fluorescence in-situ Hybridization for HER-2 gene (FISH ✓ Oncotype Dx (21-gene assay)  ☐ MammaPrint (70-gene microarray)
✓ Fluorescence in-situ Hybridization for HER-2 gene (FISH ✓ Oncotype Dx (21-gene assay)  ☐ MammaPrint (70-gene microarray)
✓ Oncotype Dx (21-gene assay)  ☐ MammaPrint (70-gene microarray)
MammaPrint (70-gene microarray)
• •
Benevictors to dealed at the first with a factor and
Parameters included in the final pathology report
✓ Pathology stage (pT and pN)
$ lap{Imour size (invasive component in mm)}$
☑ Histologic type
☑ Tumor grade
ER/PR receptor status
✓ HER-2/neu receptor status
Peritumoural/Lymphovascular invasion
Margin status
☑ Ki67, Bcl2, P53, P21, EGFR

Radiotherapy	
✓ Dedicated Radiation Oncologists ✓ Clinical Research	Available techniques after breast-conserving surgery (including experimental)
	☑ Whole-Breast RT (WBRT)
	✓ Whole-breast RT (WBRT)  ✓ Partial breast irradiation (PBI):
	External beam PBI
	☐ Interstitial brachytherapy
	☐ Targeted brachytherapy (MammoSite, SAVI applicator, other devices)
	☐ Intra-operative RT (IORT)
Multidisciplinary Meeting (MDM) / Tumour Board	(ТВ)
Regular MDM/TB for case management discussion	Specialties/services participating in MDM/TB
☐ Twice a week	<b>☑</b> Radiology
<b>₩</b> Weekly	✓ Breast Surgery
Every two weeks	✓ Reconstructive/Plastic Surgery
Other Schedule	✓ Pathology
Cases discussed at MDM/TB	☑ Medical Oncology
	☑ Radiotherapy
Preoperative cases	☐ Genetic Counselling
Postoperative cases	☑ Breast Nurse Service
	Psycho-oncology
Further Services and Facilities	
Nuclear Medicine	Genetic Counselling
✓ Lymphoscintigraphy	Specialist Providing Genetic Counselling/Risk assessment
☑ Bone scan	service:  Dedicated Clinical Geneticist
☑ Positron Emission Tomography (PET)	Medical Oncologist
☑ PET/CT scan	□ Breast Surgeon
Rehabilitation	General Surgeon
✓ Prosthesis service	Gynaecologist
✓ Prostnesis service ✓ Physiotherapy	✓ Genetic Testing available
✓ Physiotherapy  ✓ Lymph-oedema treatment	✓ Genetic Testing available ✓ Surveillance program for high-risk women
E Lymph ocacina deadnent	Data Management
	☑ Database used for clinical information
	☑ Data manager available

#### Contact details **Clinical Director** Mario Taffurelli, MD Head of the Breast Unit mario.taffurelli@aosp.bo.it +390512143344 Radiology Giangaspare Mineo Radiologist +390512142941 giangaspare.mineo@aosp.bo.it **Breast Surgery** Mario Taffurelli Head of the Breast Unit mario.taffurelli@aosp.bo.it +390512143344 Simone Zanotti Surgeon simone.zanotti@aosp.bo.it +390512143596 Riccardo Cipriani +390512143614 Director of Plastic Surgery Unit riccardo.cipriani@aosp.bo.it Alice Pellegrini **Breast Surgeon** alice.pellegrini@aosp.bo.it Margherita Serra **Breast Surgeon** margherita.serra@aosp.bo.it **Reconstructive Surgery** Riccardo Cipriani, MD Head of Plastic Surgery Dpt. riccardo.cipriani@aosp.bo.it +390516363775 Federico Contedini Plastic Surgeon federico.contedina@aosp.bo.it +390512143614 Valentina Pinto Plasti Surgeon valentina.pinto@aosp.bo.it **Pathology** Donatella Santini Pathologist donatella.santini@aosp.bo.it +390512144655 Tiziana Balbi Pathologist tiziana.balbi@aosp.bo.it **Medical Oncology** +390516362203 Claudio Zamagni Head of Medical Oncology Dpt. <a href="mailto:claudio.zamagni@aosp.bo.it">claudio.zamagni@aosp.bo.it</a> Nicoletta Cacciari Medical Oncologist nicoletta.cacciari@aosp.bo.it Daniela Rubino Oncologist daniela.rubino@aosp.bo.it Oncologist Sara Quercia sara.quercia@aosp.bo.it Manuela Lenzi Oncologist manuela.lenzi@aosp.bo.it Radiotherapy Ilario Ammendolia Radiation Oncologist ilario.ammendolia@aosp.bo.it +390512143138 Giorgio Tolento Radiation Oncologist giorgio.tolento@aosp.bo.it

#### How to reach us



## Azienda Ospedaliero-Universitaria di Bologna Policlinico S.Orsola-Malpighi

Via Massarenti 9

40138 Bologna,

Phone: +390516363929 Fax: +39051301834

E-mail: mario.taffurelli@aosp.bo.it

Web-site: www.aosp.bo.it

#### From airport:

Bologna International Airport 'G. Marconi' is 6 km away from S.Orsola-Malpighi Hospital and there are easy connections by public transportation (20 minutes by bus or taxi).

#### By train:

'Bologna Centrale' railway station is close to S.Orsola-Malpighi Hospital (10 minutes by bus n°32 or taxi).

#### By bus or sub-way/underground:

S.Orsola-Malpighi Hospital is easily reachable from the center of Bologna by bus (n°14,25).

#### By car:

Bologna is easily reachable by car from the main Italian high-ways (A1 Milano-Napoli, A14 Bologna-Taranto, A13 Bologna-Padova).

From A1 Milano: exit 'Bologna Borgo Panigale', take the 'Tangenziale' and exit 'S.Donato' or 'S. Vitale' (exits n°9 or 10 or 11).

From A1 Firenze: exit 'Bologna Casalecchio', take the 'Tangenziale' and exit 'S.Donato' or 'S. Vitale' (exits n°9 or 10 or 11).

# Azienda Ospedaliero-Universitaria di Bologna Policlinico S.Orsola-Malpighi

From A14: exit 'Bologna S.Lazzaro', take the 'Tangenziale' and exit 'S. Vitale' (exit n°11)

From A13: exit 'Bologna Arcoveggio', take the 'Tangenziale' and exit 'S.Donato' or 'S. Vitale' (exits n°9 or 10 or

11).

Last modified: 12 January 2022